

References to ESA-Listed Species Descriptions

- Adams, W. F. and C. Wilson. 1995. The status of the smalltooth sawfish, *Pristis pectinata* Latham 1794 (Pristiformes: Pristidae) in the United States. Chondros 6(4):1-5.
- Aguilar, R., J. Mas and X. Pastor. 1995. Impact of Spanish swordfish longline fisheries on the loggerhead sea turtle, *Caretta caretta*, population in the western Mediterranean, pp. 1. In: 12th Annual Workshop on Sea Turtle Biology and Conservation, February 25-29, 1992, Jekyll Island, Georgia.
- Alsop, III, F. J. 2001. Smithsonian Handbooks: Birds of North America eastern region. DK Publishing, Inc. New York, NY.
- Balazs, G.H. 1982. Growth rates of immature green turtles in the Hawaiian Archipelago, p. 117-125 in K.A. Bjorndal, editor. Biology and Conservation of Sea Turtles. Smithsonian Institution Press, Washington, D.C.
- Balazs, G.H. 1983. Recovery records of adult green turtles observed or originally tagged at French Frigate Shoals, northwestern Hawaiian Islands. NOAA Technical Memorandum. NMFS-SWFC-36.
- Barco, S., W.A. McLellan, J. Allen, R. Asmutis, R. Mallon-Day, E. Meager, D.A. Pabst, J. Robbins, R. Seton, R.M. Swingle, M.T. Weinrich, and P. Clapham. 2002. Population identity of humpback whales in the waters of the U.S. mid-Atlantic states. Journal of Cetacean Research and Management. 4(2):135-141.
- Bérubé, M., A. Aguilar, D. Dendanto, F. Larsen, G. Notarbartolo di Sciara, R. Sears, J. Sigurjónsson, J. Urban-R. and P.J. Palsbøll. 1998. Population genetic structure of North Atlantic, Mediterranean and Sea of Cortez fin whales, *Balaenoptera physalus* (Linnaeus 1758): analysis of mitochondrial and nuclear loci. Molecular Ecology. 15:585-599.
- Bigelow, H. B. and W. C. Schroeder. 1953. Sawfishes, guitarfishes, skates and rays; chimaeroides in Fishes of the Western North Atlantic. Memoirs of the Sears Foundation for Marine Research Yale University. New Haven.
- Bjorndal, K. A., J. A. Wetherall, A. B. Bolten, and J. A. Mortimer. 1999. Twenty-six years of green turtle nesting at Tortuguero, Costa Rica: an encouraging trend. Conservation Biology 13:126-134.
- Bolten, A.B., K.A. Bjorndal, and H.R. Martins. 1994. Life history model for the loggerhead sea turtle (*Caretta caretta*) populations in the Atlantic: Potential impacts of a longline fishery. U.S. Department of Commerce, NOAA Technical Memorandum NMFS-SWFSC-201:48-55.

- Boschung, H. 1979. The batoids of the Gulf of Mexico. Nature Notebook (5), 12pp.
- Boulon, R., Jr., 2000. Trends in sea turtle strandings, U.S. Virgin Islands: 1982 to 1997. U.S. Department of Commerce, NOAA Technical Memorandum NMFS-SEFSC-436:261-263.
- Breder, Jr., C. M. 1952. On the utility of the saw of sawfish. Copeia 1952(2): 90-91.
- Brongersma, L. 1972. European Atlantic Turtles. Zoologische Verhandelingen (Leiden), 121:318 pp.
- Caldwell, D. K. and A. Carr. 1957. Status of the sea turtle fishery in Florida. Transactions of the 22nd North American Wildlife Conference, 457-463.
- Carr, A. 1984. So Excellent a Fishe. Charles Scribner's Sons, New York, N.Y.
- Castroviejo, J., J.B. Juste, J.P. Del Val, R. Castelo, and R. Gil. 1994. Diversity and status of sea turtle species in the Gulf of Guinea islands. Biodiversity and Conservation 3:828-836.
- CeTAP (Cetacean and Turtle Assessment Program). 1982. A characterization of marine mammals and turtles in the mid- and north Atlantic areas of the U.S. outer continental shelf. Final Report. U.S. Dept. of Interior, Bureau of Land Management, Contract No. AA551- CT8-48, Washington, D.C. 538 pp.
- Chevalier, J., X. Desbois and M. Girondot. The reason of decline of leatherback turtles (*Dermochelys coriacea*) in French Guiana: a hypothesis. Guyetant, R. and Miaud, C. (eds.), 9th Extraordianry Meeting of the Societas Europaea Herpetologica; 1999, p. 1-10.
- Christensen, I., T. Haug and N. Øien. 1992. Seasonal distribution, exploitation and present abundance of stocks of large baleen whales (Mysticeti) and sperm whales (*Physeter macrocephalus*) in Norwegian and adjacent waters. ICES Journal of Marine Science 49:341-355.
- Clapham, P.J., L.S. Baraff, C.A. Carlson, M.A. Christian, D.K. Mattila, C.A. Mayo, M.A. Murphy and S. Pittman. 1993. Seasonal occurrence and annual return of humpback whales, *Megaptera novaeangliae*, in the southern Gulf of Maine. Canadian Journal of Zoology. 71:440-443.
- Clapham, P, S. B. Young, and R. L. Brownell, Jr. 1999. Baleen whales: conservation issues and the status of the most endangered populations. Mammal Review. 29:35-60.

- Clark, C.W. 1995. Application of US Navy underwater hydrophone arrays for scientific research on whales. Report of the International Whaling Commission. 45:210-212.
- Compagno, L. J. V. and S. F. Cook. 1995. The exploitation and conservation of freshwater elasmobranchs: status of taxa and prospects for the future in *The Biology of Freshwater Elasmobranchs*. Journal of Aquaculture and Aquatic Sciences 8:62-90.
- Cook, S. F. and L. J. V. Compagno. 1994. Preliminary Thailand field trip notes: November- December 1993. Chondros 5(1):8-13.
- Crouse, D.T. 1999. The consequences of delayed maturity in a human-dominated world. American Fisheries Society Symposium. 23:195-202.
- Dodd, C. K. 1981. Nesting of the green turtle, *Chelonia mydas* (L.), in Florida: historic review and present trends. Brimleyana 7:39-54.
- Dodd, C. K. 1988. Synopsis of the biological data on the loggerhead sea turtle *Caretta caretta* (Linnaeus 1758). U.S. Fish and Wildlife Service, Biological Report 88 (14).
- Doughty, R. W. 1984. Sea turtles in Texas: a forgotten commerce. Southwestern Historical Quarterly 88:43-70.
- Dufault, S., H. Whitehead and M. Dillon. 1999. An examination of the current knowledge on the stock structure of sperm whales, *Physeter macrocephalus*, worldwide. Journal of Cetacean Research and Management. 1(1):1-10.
- Dutton, P. H., B. W. Bowen, D. W. Owens, A. Barragán, and S. K. Davis. 1999. Global phylogeography of the leatherback turtles (*Dermochelys coriacea*). Journal of Zoology (London) 248:397-409.
- Dwyer, K.L., C.E. Ryder, and R. Prescott. 2002. Anthropogenic mortality of leatherback sea turtles in Massachusetts waters. Poster presentation for the 2002 Northeast Stranding Network Symposium.
- Eckert, S. A. and K. L. Eckert, P. Ponganis, and G. L. Kooyman. 1989. Diving and foraging behavior of leatherback sea turtles (*Dermochelys coriacea*). Canadian Journal of Zoology 67:2834-2840.
- Eckert, K. L. 1995. Hawksbill sea turtle (*Eretmochelys imbricata*). National Marine Fisheries Service and U.S. Fish and Wildlife Service Status Reviews for Sea Turtles Listed under the Endangered Species Act of 1973. Silver Spring, Maryland: National Marine Fisheries Service.

- Eckert, S.A. 1999. Global distribution of juvenile leatherback turtles. Hubbs Sea World Research Institute Technical Report 99-294.
- Eckert, S.A. and J. Lien. 1999. Recommendations for eliminating incidental capture and mortality of leatherback sea turtles, *Dermochelys coriacea*, by commercial fisheries in Trinidad and Tobago. A report to the Wider Caribbean Sea Turtle Conservation Network (WIDECAST). Hubbs-Sea World Research Institute Technical Report No. 2000-310, 7p.
- Ehrhart, L. M. 1983. Marine turtles of the Indian River Lagoon System. Florida Science 46:337-346.
- Ehrhart, L. M. and B. E. Witherington. 1992. Green turtle in P. E. Moler, editor. Rare and Endangered Biota of Florida, Volume III. Amphibians and Reptiles. University Presses of Florida:90-94.
- Epperly, S.P., J. Braun, and A.J. Chester. 1995a. Aerial surveys for sea turtles in North Carolina inshore waters. Fishery Bulletin 93:254-261.
- Epperly, S.P., J. Braun, and A. Veishlow. 1995b. Sea turtles in North Carolina waters. Conservtional Biology. 9:384-394.
- Epperly, S.P., J. Braun, A. J. Chester, F.A. Cross, J. . Merriner, and P.A. Tester. 1995c. Winter distribution of sea turtles in the vicinity of Cape Hatteras and their interactions with the summer flounder trawl fishery. Bulletin of Marine Science. 56(2):519-540.
- Ernst, L. H. and R. W. Barbour. 1972. Turtles of the United States. Univ. Kentucky Press, Lexington, Ky.
- Florida Marine Research Institute, Florida Dept. of Environmental Protection. 2001. Florida statewide nesting beach survey data. Florida Department of Environmental Protection. Unpublished data.
- FPL (Florida Power & Light Co.) St. Lucie Plant. 2000. Annual environmental operating report 1999. Juno Beach, Florida.
- Frazer, N. B. and L. M. Ehrhart. 1985. Preliminary growth models for green, *Chelonia mydas*, and loggerhead, *Caretta caretta*, turtles in the wild. Copeia 1985:73-79.
- Frazer, N. B., C. J. Limpus, and J. L. Greene. 1994. Growth and age at maturity of Queensland loggerheads. U.S. Dep. of Commer. NOAA Technical Memorandum NMFS-SEFSC-351.
- Fritts, T.H. 1982. Plastic bags in the intestinal tract of leatherback marine turtles. Herpetological Review 13(3): 72-73.

- Garduño-Andrade, M., V. Guzmán, E. Miranda, R. Briseno-Duenas, and A. Abreu. 1999. Increases in hawksbill turtle (*Eretmochelys imbricata*) nestings in the Yucatán Peninsula, Mexico (1977- 1996): data in support of successful conservation? Chelonian Conservation and Biology 3(2):286- 295.
- Girondot , M. 2002.
- Goff, G.P. and J.Lien. 1988. Atlantic leatherback turtle, *Dermochelys coriacea*, in cold water off Newfoundland and Labrador. Canadian Field Naturalist.102(1):1-5.
- Graff, D. 1995. Nesting and hunting survey of the turtles of the island of São Tomé. Progress Report July 1995, ECOFAC Componente de São Tomé e Príncipe, 33 pp.
- Groombridge, B. 1982. The IUCN Amphibia - Reptilia Red Data Book. Part 1. Testudines, Crocodylia, Rhynchocephalia. International Union Conservation Nature and Natural Resources.
- Guseman, J. L. and L. M. Ehrhart. 1992. Ecological geography of Western Atlantic loggerheads and green turtles: evidence from remote tag recoveries in M. Salmon and J. Wyneken, compilers. Proceedings of the 11th Annual Workshop on Sea Turtle Biology and Conservation, NOAA Technical Memorandum NMFS. NMFS-SEFC-302.
- Hamilton, P.K., M.K. Marx, and S.D. Kraus. 1998. Scarification analysis of North Atlantic right whales, *Eubalaena glacialis*, as a method of assessing human impacts. Final report to the Northeast Fisheries Science Center, Contract Nol 4EANF-6-0004.
- Henwood, T. A. and L. H. Ogren. 1987. Distribution and migrations of immature Kemp's ridley turtles (*Lepidochelys kempii*) and green turtles (*Chelonia mydas*) off Florida, Georgia, and South Carolina. Northeast Gulf Science, 9(2):153-160.
- Herbst, L. H. 1994. Fibropapillomatosis in marine turtles. Annual Review of Fish Diseases 4: 389-425.
- Hildebrand, H. 1963. Hallazgo del area de anidación de la tortuga "lora" *Lepidochelys kempii* (Garman), en la costa occidental del Golfo de México (Rept., Chel.). Ciencia Mex., 22(a):105- 112 .
- Hildebrand, H. 1982. A historical review of the status of sea turtle populations in the Western Gulf of Mexico in K.A. Bjorndal, editor. Biology and Conservation of Sea Turtles. Smithsonian Institution Press, Washington, D.C.

- Hirth, H. 1980. Some aspects of the nesting behavior and reproductive biology of sea turtles. American Zoologist 20:507-523.
- Hirth, H. F. 1997. Synopsis of the biological data on the green turtle *Chelonia mydas* (Linnaeus 1758). Biological Report 97(1), Fish and Wildlife Service, U.S. Department of the Interior.
- Jacobson, E. R. 1990. An update on green turtle fibropapilloma. Marine Turtle Newsletter 49:7-8.
- Jacobson, E. R., S. B. Simpson, Jr., and J. P. Sundberg. 1991. Fibropapillomas in green turtles *in G.H. Balazs, and S.G. Pooley, editoies. Research Plan for Marine Turtle Fibropapilloma, NOAA Technical Memorandum NMFS-SWFSC-156.*
- Johnson, S. A., and L. M. Ehrhart. 1994. Nest-site fidelity of the Florida green turtle *in B.A. Schroeder and B.E. Witherington, compilers. Proceedings of the 13th Annual Symposium on Sea Turtle Biology and Conservation, NOAA Technical Memorandum NMFS-SEFSC-341.*
- Katona, S.K., and J.A. Beard. 1990. Population size, migrations, and feeding aggregations of the humpback whale, *Megaptera novaeangliae*, in the western North Atlantic Ocean. Report of the International Whaling Commission, Special Issue 12:295-306.
- Knowlton, A.R., S.D. Kraus, and R.D. Denney. 1994. Reproduction in North Atlantic right whales, *Eubalaena glacialis*. Canadian Journal of Zoology. 72: 1297-1305.
- Knowlton, A.R., M.K. Marx, H.M. Pettis, P.K. Hamilton and S.D. Kraus. 2001. Scarification analysis of North Atlantic right whales (*Eubalaena glacialis*): monitoring rates of entanglement interaction. Report to the National Marine Fisheries Service. Available from: New England Aquarium, Central Wharf, Boston, MA 02110.
- Kraus, S. D., P. K. Hamilton, R. D. Kenney, A. Knowlton and C. K. Slay. 2001. Reproductive parameters of the North Atlantic right whale. Journal of Cetacean Research and Management. (Special Issue) 2: 231-236.
- Lageux, C.J., C. Campbell, L.H. Herbst, A.R. Knowlton and B. Weigle. 1998. Demography of marine turtles harvested by Miskitu Indians of Atlantic Nicaragua. U.S. Department of Commerce, NOAA Technical Memorandum. NMFS-SEFSC-412:90.
- Leatherwood, S., and R.R. Reeves. 1983. The Sierra Club handbook of whales and dolphins. Sierra Club Books, San Francisco, California. 302 pp.

- Leon, Y. M. and C. E. Diez, 2000. Ecology and population biology of hawksbill turtles at a Caribbean feeding ground. Pages 32-33 in Proceedings of the 18th International Sea Turtle Symposium, Abreu-Grobois, F.A., Briseno-Duenas, R. ,Marquez, R., and Sarti, L., compilers. NOAA Technical Memorandum NMFS-SEFSC-436.
- Lewison, R.L., S.A. Freeman, L.B. Crowder. 2004. Quantifying the effects of fisheries on threatened species: the impact of pelagic longlines on loggerhead and leatherback sea turtles. Ecological Letters 7: 221-231.
- Lutcavage, M. and J. A. Musick. 1985. Aspects of the biology of sea turtles in Virginia. Copeia 1985(2):449-456.
- Lutcavage, M. E. and P. Plotkin, B. Witherington, and P.L. Lutz. 1997. Human impacts on sea turtle survival, Pp.387-409. In: P.L. Lutz and J.A. Musick, (eds.), The Biology of Sea Turtles, CRC Press. 432pp.
- MacKay, A. L. and J. L. Rebholz. 1996. Sea turtle activity survey on St. Croix, U.S. Virgin Islands (1992-1994) in J.A. Keinath, D.E. Barnard, J.A. Musick, and B.A. Bell, compilers. Proceedings of the 15th Annual Symposium on Sea Turtle Biology and Conservation. NOAA Technical Memorandum NMFS-SEFSC-387.
- Marcano, L.A. and J.J. Alio-M. 2000. Incidental capture of sea turtles by the industrial shrimping fleet off northwestern Venezuela. U.S. department of Commerce, NOAA Technical Memorandum. NMFS-SEFSC-436:107.
- Márquez, R. 1990. FAO Species Catalogue, Vol. 11. Sea turtles of the world, an annotated and illustrated catalogue of sea turtle species known to date. FAO Fisheries Synopsis, 125.
- Mayor, P., B. Phillips, and Z. Hillis-Starr. 1998. Results of stomach content analysis on the juvenile hawksbill turtles of Buck Island Reef National Monument, U.S.V.I. Pp. 230-232 in Proceedings of the 17th Annual Sea Turtle Symposium, S. Epperly and J. Braun, compilers. NOAA Technical Memorandum NMFS-SEFSC-415.
- Mead, J. G. 1977. Records of sei and Bryde's whales from the Atlantic coast of the United States, the Gulf of Mexico, and the Caribbean. Report of the International Whaling Commission, Special Issue. 1:113–116.
- Meylan, A.B. 1982. Sea turtles migration: Evidence from tag returns, in Biology and Conservation of Sea Turtles, Bjorndal,K. (ed.). Smithsonian Institution Press, Washington, DC, 91-100.
- Meylan, A. B. 1988. Spongivory in hawksbill turtles: a diet of glass. Science 239:393-395.

- Meylan, A., B. Schroeder, and A. Mosier. 1995. Sea turtle nesting activity in the State of Florida 1979-1992. Florida Marine Research Publications 52:1-51.
- Meylan, A. B. 1999. International movements of immature and adult hawksbill turtles (*Eretmochelys imbricata*) in the Caribbean region. Chelonian Conservation and Biology 3(2):189-194.
- Meylan, A. B. 1999a. The status of the hawksbill turtle (*Eretmochelys imbricata*) in the Caribbean Region. Chelonian Conservation and Biology 3(2):177-184.
- Meylan, A. B., and M. Donnelly. 1999. Status justification for listing the hawksbill turtle (*Eretmochelys imbricata* as critically endangered on the 1996 IUCN Red List of Threatened Animals. Chelonian Conservation and Biology 3(2):200-204.
- Milton, S.L., S. Leone-Kabler, A.A. Schulman, and P.L. Lutz. 1994. Effects of Hurricane Andrew on the sea turtle nesting beaches of South Florida. Bulletin of Marine Science, 54(3): 974-981.
- Mitchell, E. 1974. Present status of northwest Atlantic fin and other whale stocks. Pp. 108-169 In: Schevill, W.E. (ed.). The whale problem: a status report. Harvard University Press, Cambridge, MA. 419p.
- Mitchell, , E. and D. G. Chapman. 1977. Preliminary assessment of stocks of northwest Atlantic sei whales (*Balaenoptera borealis*). Report of the International Whaling Commission, Special Issue. 1:117–120.
- MML (Mote Marine Laboratory). Status of smalltooth sawfish in U.S. waters. Available: <http://www.mote.org/%7Ecolins/SawfishConservaiton/SmalltoothStatus.htm> (March 2004).
- Mrosovsky, N. 1981. Plastic jellyfish. Marine Turtle Newsletter 17:5-6.
- Murphy, T. and Hopkins, S. 1981. Sonic and radio tracking of nesting *Carretta carretta*. In: Hopkins and Murphy, Reproductive ecology of *Carretta carretta* in South Carolina. Study completion report: SC Wildlife and Marine Resources Department.
- Murphy, T. M. and S. R. Hopkins. 1984. Aerial and ground surveys of marine turtle nesting beaches in the Southeast Region. Unpublished report prepared for the National Marine Fisheries Service.
- NMFS (National Marine Fisheries Service). 1991. Recovery plan for the humpback whale, *Megaptera novaeangliae*. Prepared by the Humpback Whale Recovery Team for the National Marine Fisheries Service, Silver Spring, Md.

NMFS (National Marine Fisheries Service). 1991a. Recovery plan for the northern right whale, *Eubalaena glacialis*. Prepared by the Right Whale Recovery Team for the National Marine Fisheries Service, Silver Spring, Md.

NMFS (National Marine Fisheries Service). 1998. Recovery plan for the blue whale, *Balaenoptera musculus*. Prepared by Reeves, R.R., P.J. Clapham, R.L. Brownell, Jr. and G.K. Silber for the National Marine Fisheries Service, Silver Spring, MD. 42p.

NMFS (National Marine Fisheries Service). 1998a. Draft recovery plan for the fin whale, *Balaenoptera physalus* and sei whale, *Balaenoptera borealis*. Prepared by Reeves, R.R., G.K. Silber and P.M. Payne for the National Marine Fisheries Service, Silver Springs, MD. 60p.

NMFS (National Marine Fisheries Service). 2000. Status review of smalltooth sawfish (*Pristis pectinata*). December 2000.

NMFS (National Marine Fisheries Service). 2001. Endangered Species Act Section 7 Consultation on reinitiation of Consultation on the Atlantic Highly Migratory Species Fishery Management Plan and its Associated Fisheries. Biological Opinion. June 14.

NMFS (National Marine Fisheries Service), 2002. Endangered Species Act – Section 7 Consultation. Biological opinion on shrimp trawling in the southeastern United States, under the Sea Turtle Conservation Regulations and as managed by the fishery management plans for shrimp in the South Atlantic and Gulf of Mexico. NMFS, Silver Spring, MD.

NMFS SEFSC (National Marine Fisheries Service / Southeast Fisheries Science Center. 2001. Stock assessments of loggerhead and leatherback sea turtles and an assessment of the impact of the pelagic longline fishery on the loggerhead and leatherback sea turtles of the Western North Atlantic. U.S. Department of Commerce, National Marine Fisheries Service, Miami, FL, SEFSC Contribution PRD-00/01-08, Parts I-III and Appendices I-V1.

NMFS and USFWS (National Marine Fisheries Service and United States Fish and Wildlife Service).1991. Recovery Plan for U.S. Population of Loggerhead Turtle. National Marine Fisheries Service, Washington, D.C.

NMFS and USFWS (National Marine Fisheries Service and United States Fish and Wildlife Service). 1991a. Recovery Plan for U.S. Population of Atlantic Green Turtle. National Marine Fisheries Service, Washington, D.C.

- NMFS and USFWS (National Marine Fisheries Service and United States Fish and Wildlife Service). 1992. Recovery plan for leatherback turtles in the U.S. Caribbean, Atlantic and Gulf of Mexico. National Marine Fisheries Service, Washington, D.C.
- NMFS and USFWS (National Marine Fisheries Service and United States Fish and Wildlife Service). 1995. Status reviews for sea turtles listed under the Endangered Species Act of 1973. National Marine Fisheries Service, Silver Spring, Md.
- NMFS and USFWS (National Marine Fisheries Service and United States Fish and Wildlife Service). 1993. Recovery Plan for Hawksbill Turtles in the U.S. Caribbean, Atlantic Ocean, and Gulf of Mexico. National Marine Fisheries Service, St. Petersburg, Fla.
- Norman, J. R. and F. C. Fraser. 1937. Giant Fishes, Whales and Dolphins. Putnam, London.
- Ogren, L. H. 1989. Distribution of juvenile and sub-adult Kemp's ridley sea turtle: Preliminary results from 1984-1987 surveys, pp. 116-123 in: Cailliet, C.W. and A.M. Landry (eds), First Intl. Symp. on Kemp's Ridley Sea Turtle Biol, Conserv. and Management. Texas A&M Univ. Galveston, Tex., Oct. 1-4, 1985, TAMU-SG-89-105.
- Palsbøll, P.J., J. Allen, M. Bérubé, P.J. Clapham, T.P. Feddersen, P. Hammond, H. Jørgensen, S. Katona, A.H. Larsen, F. Larsen, J. Lien, D.K. Mattila, J. Sigurjónsson, R. Sears, T. Smith, R. Sponer, P. Stevick and N. Øien. 1997. Genetic tagging of humpback whales. Nature. 388: 767-769.
- Paquet, D., C. Haycock and H. Whitehead. 1997. Numbers and seasonal occurrence of humpback whales, *Megaptera novaeangliae*, off Brier Island, Nova Scotia. Canadian Field. 111:548-552.
- Payne, P.M., D.N. Wiley, S.B. Young, S. Pittman, P.J. Clapham, and J.W. Jossi. 1990. Recent fluctuations in the abundance of baleen whales in the southern Gulf of Maine in relation to changes in selected prey. Fishery Bulletin, U.S. 88(4):687-696.
- Perry, S., D. DeMaster, and G.K. Silber. 1999. The great whales: history and status of six species listed as endangered under the U.S. Endangered Species Act of 1973. Marine Fisheries Review 61(1)1-74.
- Pritchard, P.C.H. 1982. Nesting of the leatherback turtle, *Dermochelys coriacea*, in Pacific, Mexico, with a new estimate of the world population status. Copeia 1982:741-747.

- Reeves, R.R. and H. Whitehead. 1997. Status of sperm whale, *Physeter macrocephalus*, in Canada. Canadian Field Naturalist. 111:293-307.
- Renaud, M. L. 1995. Movements and submergence patterns of Kemp's ridley turtles (*Lepidochelys kempii*). Journal of Herpetology 29:370-374.
- Rhodin, A. G. J. 1985. Comparative chondro-osseous development and growth in marine turtles. Copeia 1985:752-771.
- Richardson, J. I., R. Bell, and T. H. Richardson. 1999. Population ecology and demographic implications drawn from an 11-year study of nesting hawksbill turtles, *Eretmochelys imbricata*, at Jumby Bay, Long Island, Antigua, West Indies. Chelonian Conservation and Biology 3(2):244-250.
- Schmid, J. R. and W. N. Witzell. 1997. Age and growth of wild Kemp's ridley turtles (*Lepidochelys kempii*): cumulative results of tagging studies in Florida. Chelonian Conservation Biology 2:532-537.
- Schultz, J. P. 1975. Sea turtles nesting in Surinam. Zoologische Verhandelingen (Leiden), Number 143:172 pp.
- Scott, T.M. and S. S. Sadove. 1997. Sperm whale, *Physeter macrocephalus*, sightings in the shallow shelf waters off Long Island, New York. Marine Mammal Science. 13:317-321.
- Shaver, D. J. 1991. Feeding ecology of wild and head-started Kemp's ridley sea turtles in south Texas waters. Journal of Herpetology. Volume 23. 1991.
- Shaver, D. J. 1994. Relative abundance, temporal patterns, and growth of sea turtles at the Mansfield Channel, Texas. Journal of Herpetology 28:491-497.
- Shoop, C.R. and R.D. Kenney. 1992. Seasonal distributions and abundance of loggerhead and leatherback sea turtles in waters of the northeastern United States. Herpetological Monograph. 6: 43-67.
- Sigurjónsson, J. 1988. Operational factors of the Icelandic large whale fishery. Report of the International Whaling Commission. 38:327-333.
- Simpfendorfer, C. 2001. Essential habitat of smalltooth sawfish (*Pristis pectinata*). Mote Marine Library Technical Report 786. Mote Marine Laboratory, 1600 Ken Thompson Parkway, Sarasota, FL 34236. November 2001.
- Snelson, F.F. and Williams, S.E. 1981. Notes on the occurrence, distribution, and biology of elasmobranch fishes of the Indian River Lagoon system, Florida. Estuaries 4(2):110 – 120.

- Spotila, J. R., A. E. Dunham, A. J. Leslie, A. C. Steyermark, P. T. Plotkin, and F. V. Paladino. 1996. Worldwide population decline of *Dermochelys coriacea*: are leatherback turtles going extinct? Chelonian Conservation Biology 2(2):209-222.
- Swingle, W.M., S.G. Barco, T.D. Pitchford, W.A. McLellan, and D.A. Pabst. 1993. Appearance of juvenile humpback whales feeding in the nearshore waters of Virginia. Marine Mammal Science. 9(3):309-315.
- TEWG (Turtle Expert Working Group). 1998. An assessment of the Kemp's ridley (*Lepidochelys kempii*) and loggerhead (*Caretta caretta*) sea turtle populations in the western North Atlantic. U.S. Department Commerce NOAA Technical Memorandum NMFS-SEFSC-409.
- TEWG (Turtle Expert Working Group). 2000. Assessment update for the Kemp's ridley and loggerhead sea turtle populations in the western North Atlantic. U.S. Department Commerce NOAA Technical Memorandum NMFS-SEFSC-444.
- Townsend, C. H. 1935. The distribution of certain whales as shown by logbook records of American whaleships. Zoologica (N.Y.) 19(1):1-50.
- USFWS (United States Fish and Wildlife Service). 2000. Report on the Mexico/United States of America Population Restoration Project for the Kemp's Ridley Sea Turtle, *Lepidochelys kempii*, on the Coasts of Tamaulipas and Veracruz, Mexico.
- van Dam, R. and C. Diez, 1997. Predation by hawksbill turtles on sponges at Mona Island, Puerto Rico. Pages 1421-1426 in Proceedings of the 8th International Coral Reef Symposium, v. 2.
- van Dam, R. and C. Diez. 1998. Home range of immature hawksbill turtles (*Eretmochelys imbricata*) at two Caribbean islands. Journal of Experimental Marine Biology and Ecology, 220(1):15-24.
- Waring, G.T., Janeen M. Quintal 1 , and Steven L. Swartz 2 , Editors with contributions from P. J. Clapham , T. V.N. Cole, C. P. Fairfield, A. Hohn, D. L. Palka, M. C. Rossman, U.S. Fish & Wildlife Service, and C. Yeung . 2001. U.S. Atlantic and Gulf of Mexico Marine Mammal Stock Assessments -- 2001. NOAA Tech. Memo NMFS-NE-168. Department of Commerce, Woods Hole, Massachusetts. 318p.
- Waring, G.T., J.M. Quintal and C.P. Fairfield, Editors. 2002. U.S. Atlantic and Gulf of Mexico Marine Stock Assessments-2002. NOAA Technical Memorandum NMFS-NE-169. Department of Commerce, Woods Hole, Massachusetts. 318p.
- Wenzel, F.W., D.K. Mattila and P.J. Clapham. 1988. *Balaenoptera musculus* in the Gulf of Maine. Marine Mammal Science. 4:172-175.

- Wershoven, J. L. and R. W. Wershoven. 1992. Juvenile green turtles in their nearshore habitat of Broward County, Florida: a five year review *in* M. Salmon and J. Wyneken, compilers. Proceedings of the 11th Annual Workshop on Sea Turtle Biology and Conservation, NOAA Technical Memorandum NMFS. NMFS-SEFC-302.
- Wiley, D.N., R.A. Asmutis, T.D. Pitchford, and D.P. Gannon. 1995. Stranding and mortality of humpback whales, *Megaptera novaeangliae*, in the mid-Atlantic and southeast United States, 1985-1992. Fishery Bulletin, U.S. 93:196-205.
- Witzell, W.N. 2002. Immature Atlantic loggerhead turtles (*Caretta caretta*): suggested changes to the life history model. Herpetological Review 33(4): 266-269.
- Zug, G. R.. and J. F. Parham. 1996. Age and growth in leatherback turtles, *Dermochelys coriacea* (Testudines: Dermochelyidae): a skeletochronological analysis. Chelonian Conservation Biology 2(2):244-249.
- Yochem, P.K. and S. Leatherwood. 1985. Blue whale. Pages 193-240 *in*: S.H. Ridgeway and R. Harrison (eds), *Handbook of Marine Mammals*, Vol. 3: The Sirenians and Baleen Whales. Academic Press, New York.
- Zurita, J.C., R. Herrera, A. Arenas, M.E. Torres, C. Calderon, L. Gomez, J.C. Alvarado, and R. Villavicencio. 2003. Nesting loggerhead and green sea turtles in Quintana Roo, Mexico. Pp. 125-127 *In*: Proceedings of the Twenty-Second Annual Symposium on Sea Turtle Biology and Conservation. NOAA Technical Memorandum. NMFS-SEFSC-503.
- Zwinenberg, A. J. 1977. Kemp's ridley, *Lepidochelys kempii* (Garman, 1880), undoubtedly the most endangered marine turtle today (with notes on the current status of *Lepidochelys olivacea*). Bulletin of the Maryland Herpetological Society, 13(3):170-192.